


TIBIAL TUBEROSITY ADVANCEMENT



TTA Sets

TTA Implants BOX

(without contents)


natch to

TTA Standard Implantat (exhibit 1)

as well as

TTA ESY Implantat (exhibit 2)

230-2080-00



TTA Instrument Tray

(without image)

132-5000-10/A

Sterilization Container

for Trays, 310x190x130mm

blau (image)

150-5401-30

grün

150-5402-30



TTA Cages

TTA Cuttable Cages

Cages

Titanium



| Product Code | Size (mm) | Price |
|---------------|-----------|-------|
| 230-2162-310 | 3/10 | |
| 230-2162-313 | 3/13 | |
| 230-2162-316 | 3/16 | |
| 230-2162-4512 | 4.5/12 | |
| 230-2162-4515 | 4.5/15 | |
| 230-2162-4518 | 4.6/18 | |
| 230-2162-616 | 6/16 | |
| 230-2162-619 | 6/19 | |

| Product Code | Size (mm) | Price |
|----------------|-----------|-------|
| 230-2162-622 | 6/22 | |
| 230-2162-7516 | 7.5/16 | |
| 230-2162-7519 | 7.5/19 | |
| 230-2162-7522 | 7.5/22 | |
| 230-2162-919 | 9/19 | |
| 230-2162-922 | 9/22 | |
| 230-2162-925 | 9/25 | |
| 230-2162-10519 | 10.5/19 | |

| Product Code | Size (mm) | Price |
|----------------|-----------|-------|
| 230-2162-10522 | 10.5/22 | |
| 230-2162-10525 | 10.5/25 | |
| 230-2162-1222 | 12/22 | |
| 230-2162-1225 | 12/25 | |
| 230-2162-1228 | 12/28 | |
| 230-2162-1525 | 15/25 | |
| 230-2162-1528 | 15/28 | |
| 230-2162-1531 | 15/31 | |

Cuttable Cages

Titanium


| Product Code | Size (mm) | Price |
|---------------|-----------|-------|
| 230-2163-622 | 6/22 | |
| 230-2163-7524 | 7.5/24 | |
| 230-2163-926 | 9/26 | |

| Product Code | Size (mm) | Price |
|----------------|-----------|-------|
| 230-2163-10528 | 10.5/28 | |
| 230-2163-1230 | 12/30 | |
| 230-2163-1532 | 15/32 | |



Forks

Titanium



| Product Code | Prongs | Price |
|--------------|--------|-------|
| 230-2161-03 | 3 | |
| 230-2161-04 | 4 | |

| Product Code | Prongs | Price |
|--------------|--------|-------|
| 230-2161-05 | 5 | |
| 230-2161-06 | 6 | |

| Product Code | Prongs | Price |
|--------------|--------|-------|
| 230-2161-07 | 7 | |
| 230-2161-08 | 8 | |

Plates Standard

Titanium



| Product Code | Holes | Price |
|--------------|-------|-------|
| 230-2160-03 | 3 | |
| 230-2160-04 | 4 | |

| Product Code | Holes | Price |
|--------------|-------|-------|
| 230-2160-05 | 5 | |
| 230-2160-06 | 6 | |

| Product Code | Holes | Price |
|--------------|-------|-------|
| 230-2160-07 | 7 | |
| 230-2160-08 | 8 | |

ESY TTA Plate

Titanium



| Product Code | Specification | | Price |
|--------------|---------------|-------|-------|
| | Holes | Style | |
| 230-155-03 | 2 | 3 | |
| 230-155-04 | 2 | 4 | |

| Product Code | Specification | | Price |
|--------------|---------------|-------|-------|
| | Holes | Style | |
| 230-155-05 | 2 | 5 | |
| 230-155-06 | 3 | 6 | |

| Product Code | Specification | | Price |
|--------------|---------------|-------|-------|
| | Holes | Style | |
| 230-155-07 | 3 | 7 | |
| 230-155-08 | 3 | 8 | |

TTA Spacers

TTA Spacers

Patella Luxation, Titanium




| Product Code | Size (mm) | Price |
|--------------|-----------|-------|
| 246-008-02 | 2 | |
| 246-008-04 | 4 | |
| 246-008-06 | 6 | |

2.4 TTA Self Tapping Screws

2.4 Self Tapping Screws Titan

Hex Head or Star Drive, self tapping
with triple polished section, Ø core: 1.7mm



| Length (mm) | Hexagonal | Price | Star Drive | Price |
|-------------|------------|-------|------------|-------|
| 6 | 245-224-06 | | 245-524-06 | |
| 8 | 245-224-08 | | 245-524-08 | |
| 10 | 245-224-10 | | 245-524-10 | |
| 12 | 245-224-12 | | 245-524-12 | |
| 14 | 245-224-14 | | 245-524-14 | |
| 16 | 245-224-16 | | 245-524-16 | |
| 18 | 245-224-18 | | 245-524-18 | |
| 20 | 245-224-20 | | 245-524-20 | |
| 22 | 245-224-22 | | 245-524-22 | |
| 24 | 245-224-24 | | 245-524-24 | |
| 26 | 245-224-26 | | 245-524-26 | |
| 28 | 245-224-28 | | 245-524-28 | |
| 30 | 245-224-30 | | 245-524-30 | |
| 32 | 245-224-32 | | 245-524-32 | |
| 34 | 245-224-34 | | 245-524-34 | |
| 36 | 245-224-36 | | 245-524-36 | |
| 38 | 245-224-38 | | 245-524-38 | |
| 40 | 245-224-40 | | 245-524-40 | |

2.7 TTA Self Tapping Screws

2.7 Self Tapping Screws Titan

Hex Head or Star Drive, self tapping
with triple polished section, Ø core: 1.9mm



| Length (mm) | Hexagonal | Price | Star Drive | Price |
|-------------|------------|-------|------------|-------|
| 6 | 245-227-06 | | 245-527-06 | |
| 8 | 245-227-08 | | 245-527-08 | |
| 10 | 245-227-10 | | 245-527-10 | |
| 12 | 245-227-12 | | 245-527-12 | |
| 14 | 245-227-14 | | 245-527-14 | |
| 16 | 245-227-16 | | 245-527-16 | |
| 18 | 245-227-18 | | 245-527-18 | |
| 20 | 245-227-20 | | 245-527-20 | |
| 22 | 245-227-22 | | 245-527-22 | |
| 24 | 245-227-24 | | 245-527-24 | |
| 26 | 245-227-26 | | 245-527-26 | |
| 28 | 245-227-28 | | 245-527-28 | |
| 30 | 245-227-30 | | 245-527-30 | |
| 32 | 245-227-32 | | 245-527-32 | |
| 34 | 245-227-34 | | 245-527-34 | |
| 36 | 245-227-36 | | 245-527-36 | |
| 38 | 245-227-38 | | 245-527-38 | |
| 40 | 245-227-40 | | 245-527-40 | |

3.5 TTA Self Tapping Screws

3.5 Self Tapping Screws Titan

Hex Head or Star Drive, self tapping
with triple polished section, Ø core: 2.4mm



| Length (mm) | Hex Head | Price | Star Drive | Price |
|-------------|------------|-------|------------|-------|
| 8 | 245-235-08 | | 245-535-08 | |
| 10 | 245-235-10 | | 245-535-10 | |
| 12 | 245-235-12 | | 245-535-12 | |
| 14 | 245-235-14 | | 245-535-14 | |
| 16 | 245-235-16 | | 245-535-16 | |
| 18 | 245-235-18 | | 245-535-18 | |
| 20 | 245-235-20 | | 245-535-20 | |
| 22 | 245-235-22 | | 245-535-22 | |
| 24 | 245-235-24 | | 245-535-24 | |
| 26 | 245-235-26 | | 245-535-26 | |
| 28 | 245-235-28 | | 245-535-28 | |
| 30 | 245-235-30 | | 245-535-30 | |
| 32 | 245-235-32 | | 245-535-32 | |
| 34 | 245-235-34 | | 245-535-34 | |
| 36 | 245-235-36 | | 245-535-36 | |
| 38 | 245-235-38 | | 245-535-38 | |
| 40 | 245-235-40 | | 245-535-40 | |
| 45 | 245-235-45 | | 245-535-45 | |
| 50 | 245-235-50 | | 245-535-50 | |
| 55 | 245-235-55 | | 245-535-55 | |
| 60 | 245-235-60 | | 245-535-60 | |

Drill Guides for Forks

| Product Code | Holes | Price |
|--------------|-------|-------|
| 246-001-04 | 4 | |
| 246-001-08 | 8 | |



Pin

Size 1.9 mm

246-006-19



Drill Sleeves

| Product Code | Size (mm) | Price |
|--------------|-----------|-------|
| 164-0070-18 | 1.8/2.0 | |
| 164-0070-27 | 2.7/2.0 | |
| 164-0070-35 | 3.5/2.5 | |



Drill Bits

| Product Code | Ø (mm) | Length (mm) | Connection | Price |
|--------------|--------|-------------|----------------|-------|
| 148-0080-18 | 1.8 | 70/30 | straight shank | |
| 148-0080-20 | 2.0 | 125/25 | straight shank | |
| 148-0080-25 | 2.5 | 95/80 | straight shank | |

| Product Code | Ø (mm) | Length (mm) | Connection | Price |
|--------------|--------|-------------|------------|-------|
| 148-0081-18 | 1.5 | 85/60 | AO Schaft | |
| 148-0081-20 | 2.0 | 125/25 | AO Schaft | |
| 148-0081-25 | 2.5 | 110/85 | AO Schaft | |

Depth Gauge

for 2.4 | 2.7 | 3.5 screws
maximal measurement 60 mm

164-2735-60



Screwdriver Handle

w. Quick Coupling
sterilizable up to 134 °C

247-0103-00



Screwdriver

TTA RAPID Spreader

Boneholding Forceps

Screwdriver Hex Insert

AO connection, self-holding, (Holding sleeve necessary)

| Product Code | Description | Price |
|--------------|---------------------------|-------|
| 128-0900-20 | for 2.4 mm Screws | |
| 128-0900-24 | for 2.4 mm Screws, 130 mm | |
| 128-0900-25 | for 2.7 und 3.5 mm Screws | |



Holding Sleeve for Hex Screwdriver

| Product Code | Size | Price |
|--------------|------------|-------|
| 128-0940-24 | 2.4 mm | |
| 128-0940-25 | 2.7/3.5 mm | |



Screwdriver Star-Drive

AO connection, self-holding (no holding sleeve needed)

| Product Code | Description | Price |
|--------------|---------------------------|-------|
| 128-2024-08 | for 2.0 und 2.4 mm Screws | |
| 128-2735-10 | for 2.7 und 3.5 mm Screws | |



Plate Holding Forceps

16 cm angled

164-0050-16



TTA RAPID® Spreader

with tensioning and fixation screw, 16 cm

132-4080-16



Boneholding Forceps

21,5 cm - with spin lock

128-0525-21



Fork Inserter

246-002-00



TTA RAPID® Bending Iron

120 mm

132-4020-00

